

THE ESSENTIALS

2026-2027



BRICKLAYER



CONCRETE SLAB MAKER



FACADE BUILDER



TILER



DRYWALLER



EQUIPMENT

MONDELIN FRENCH MANUFACTURER



For over 72 years, Mondelin has been designing and manufacturing reliable, robust and innovative hand tools and equipment for the construction industry.

«We continue to develop our range of tools and to work on new innovations, while maintaining what is essential to us : the relationship that has always connected us with the craftsmen in their construction sites.»

TOOLS DEVELOPED WITH CRAFTSMEN

>> Mondelin was founded in 1952 by Roger Mondelin. From the beginning, Mondelin's founder went to construction sites to find solutions for craftsmen.

>> Since then, the Mondelin Research & Development team has been on construction site every day.

All Mondelin products are developed and tested in partnership with craftsmen before production.



INSPIRED BY YOUR CRAFT SITES



MONDELIN STANDS FOR INNOVATION

>> The Mondelin brand stands for reliability. The products are constantly improved in order to adapt them to current needs and requirements on the construction sites.

>> Developments for craftsmen, their comfort and performance.

Above all, innovation is achieved through a strong relationship between the craftsman, his needs and the Mondelin R&D team.

TOOLS MADE IN OUR FACTORY IN AMBIERLE (FRANCE)



Our factory integrates 3 strategic activities

>> Metal work

Manufacture of our Levpano®, spreader, knives, Ergolame®, stepladders, platforms, trestles...

>> Plastic work

Manufacture of our buckets and troughs, sieves, floats, Projoint®, plastic or bi-material handles...

>> Wood work

Manufacture of our wooden floats, foam floats, wooden handles, platforms...



OUR COMMITMENTS TO THE ENVIRONNEMENT

>> French manufacturing highlighted to limit transport and develop local employment.

>> Our tools are designed for maximum durability. Moreover, our equipment is repairable and a large number of spare parts are available.

>> We are PEFC and FSC™ certified for sustainable and responsible forest management.
Only products identified as such in this catalog are PEFC and FSC™ certified.

>> 72% of our plastic raw material purchases come from recycled materials.

>> We have invested in a machine to manufacture our own cardboard boxes, thus limiting the amount of plastic packaging we use.

DISCOVER US

>> Watch the video "The history of Mondelin, 70 years working for craftsmen" and get to the heart of our company by discovering what makes our DNA, more than 70 years after its creation.



AND FOLLOW OUR NEWS ON :



www.mondelin.com

CONTENT



BRICKLAYER.....3-8



CONCRETE SLAB MAKER..... 9-12



FACADE BUILDER.....13-14



TILER..... 15-20



DRYWALLER.....21-34



ÉQUIPMENT.....35-42



COLOR FLEXIBLE PLASTIC TUB

>> Ultra-flexible, lightweight plastic

NEW DESIGN

- >> Reinforcing ribs for added strength
- >> Large and comfortable handles
- >> Graduated

NEW



40 L



40 L	Orange	Yellow	Red	Blue
Ref	342460	342470	342510	342540
EAN 347913+	3424606	3424705	3425108	3425405

PROCHOK® FLEXIBLE TUB

Ref : 343450 / EAN : 3479133434506

>> Black Prochok® material combines strength and lightness

>> For transporting cement, gravel, earth, spoil... to construction sites.

NEW DESIGN

- >> Reinforcing ribs for added strength
- >> Large and comfortable handles
- >> Graduated

40 L



INNOVATION MONDELIN

>> IML (In Mould Labelling): molded in the mass, the label cannot be removed.

>> No label waste on site.

>> Perfectly recyclable.



MASONS TROUGH PROCHOK®



PROCHOK®

- >> Thick and flexible
- >> Withstands extreme worksite conditions
- >> With IML



12 L



NEW

Capacity	12 L	25 L	35 L
Ref	343510	343520	343530
EAN 347913+	3435107	3435206	3435305

	Black Prochok®		NEW : Orange Prochok®
Handle	Ø 6,3 mm	Ø 6,8 mm	Ø 5,3mm with handle
Ref	341140	341120	341151
EAN 347913+	3411408	3411200	3411514

PLASTIC BUCKET

Ref 341080

EAN : 3479133410807



11 L



COLOR PLASTIC BUCKET

- >> 4 colors available
- >> Handle : Ø 5,3 mm



11 L



11 L	Orange	Blue	Yellow	Red
Ref	341220	341240	341230	341210
EAN 347913+	3412207	3412405	3412306	3412108





SUPERCHOK® PLASTIC SIEVE

>> Optimum screen tension: continuous welding along the entire screen base and unique assembly process

>> Resistant polystyrene frame : excellent impact resistance

>> Wide edge for a good grip in the hand

Ø 45 cm



10 cm



STACKABLE



FITS PERFECTLY ON OUR NEW FLEXIBLE TUBS



N°	6	8	10	12	14
Ref	301860	301880	301900	301920	301940
EAN 347913+	3018607	3018805	3019000	3019208	3019406

BLACK FLOAT

>> Made from recycled polystyrene



Dim - cm	28 x 41	26 x 35	18 x 27	Pointed 18 x 27
Ref	313100	313110	313120	313132
EAN 347913+	3131009	3131108	3131207	3131320

ABS FLOAT

>> ABS tray, for excellent resistance to impact and abrasion

>> For intensive use



Dim - cm	28 x 41	26 x 35	18 x 27	Pointed 18 x 27
Ref	311300	311310	311320	311332
EAN 347913+	3113005	3113104	3113203	3113326

FOLDING TRESTLE

Ref : **113000** / EAN : 3479131130004



>> Wooden beam to protect the installed part
>> Feet locked in open or closed position



ADJUSTABLE FOLDING TRESTLE

Ref : **113010** / EAN : 3479131130103



>> Wooden beam to protect the deposited material
>> Lock with safety pins
>> Adjustable height: 80 to 130 cm






CONCEPT MACO

NEW

WATCH
THE VIDEO :

BUILDING STRINGER BEAMS IS NOW QUICK AND EASY !

The MACO concept consists of three elements :

1 **MACO Bloc**

REUSABLE FORMWORK BRACKET

- Holds formwork boards firmly in place during concrete pouring.
- Keeps formwork boards parallel and at a constant width.
- Ensures straight formwork, prevents formwork panels from warping under the pressure of the concrete.
- Protects formwork boards.


Formwork bracket = UV of 10 pcs
Ref 309510 / EAN 3479133095103



TIME SAVINGS
EASY
INSTALLATION
MATERIAL
PRESERVED

2 **MACO Fix**

X20



FORMWORK SQUARE

- Foldable steel accessory that holds boards in place at corners (inside or outside).
- Simplifies the creation of corners.



Box of 20 formwork squares
Ref 309540 / EAN : 3479133095400

3 **MACO Base**

X30

FORMWORK SPACER

Steel consumable:

- Attaches to the clean slab with the fixing hole
- Maintains the correct spacing
- Raises the mesh
- Locks the mesh in place: the holes allow the mesh to be attached to the base
- Wedges the formwork boards
- Locks the formwork brackets

Formwork
bracketFormwork
boardMounting
holeTrellis
support

Box of 30 formwork spacers
Ref 309550 / EAN : 3479133095509



TRACING BOMB

SAFETY CAP

- Reliability: no leaks thanks to the exclusive safety cap
- Efficient use of paint : the can is 98% empty when finished

TEMPORARY MARKING

- Operating temperature: -15 to +50°C
- Good visibility on concrete, asphalt, grass, posts, etc.
- Flammable.
- Non-irritating (Xi), non-harmful (Xn), non-toxic.

NEW



Color	Orange	Green	Blue	Yellow	White	Red
Ref	810210	810220	810230	810240	810250	810260
EAN 347913+	8102103	8102202	8102301	8102400	8102509	8102608



AUTOMATIC WIRE TWISTER

Ref : **302340** / EAN : 3479133023403
on card

NEW



FAST

- Used to quickly wire tie reinforced concrete reinforcement bars.
- Also useful for tying bags and fences.

WIRE TIES

NEW



- Metal wire ties with annealed steel loops, 1.1mm in diameter.

Dim	12 cm	14 cm	16 cm
Quantity	x1000	x5000	x1000
Ref	302350	302360	302370
EAN 347913+	3023502	3023601	3023700

SPOOL

NEW

Ref : **302330** / EAN : 3479133023304

- Annealed steel wire for tying reinforcing bars, mesh, bags, etc.
- Reference for 1 spool.
- Sold in a bucket containing 96 spools.



200 g

SET OF WIRE TIES + TWISTER

Ref : **309946** / EAN : 3479133099460

Automatic wire twister + 3000 12 cm ties


NEW



CONCRETE SPACER

NEW

Allows reinforcement to be held in the desired position during concrete placement.



X100

Dim	25 mm	30 mm
Ref	303410	303420
EAN 347913+	3034102	3034201



ALUMINIUM LEVELLING RULE



- >> Ribbed profile for greater resistance
 - >> Handles integrated into the profile, not extending beyond it
 - >> Very precise vials: Adjustment and quality control in our factory, through a light sensor.
 - >> Mounting of the vials: Impact resistant ABS plastic, glued and screwed in place
- Heavy duty, high quality aluminium, 22 x 100 mm


Dim	1,50 m	2 m	2,50 m
Ref	351615	351620	351625
EAN 347913+	3516158	3516202	3516257

ALUMINIUM ANGLE SQUARE



- >> Assembled by sleeving, gluing and riveting
- >> No deformation of the aluminium and no cracks

Dim	60 x 80 cm	100 x 60 cm	100 x 150 cm
Ref	350010	350040	350020
EAN 347913+	3500102	3500409	3500201




ALUMINIUM MASON'S RULE

- >> High quality impact resistant aluminium
- >> With end caps for maximum protection, the mortar can not get inside.
- >> 1 reinforcement



Dim	2 m	3 m	4 m
Ref	351200	351300	351400
EAN 347913+	3512006	3513003	3514000



TRAPEZOIDAL LEVEL

Ref : **872600** / EAN : 3479138726002



- >> Solid cast aluminium body
- >> Milled base
- >> 1 horizontal vial and 1 vertical vial

LONG TAPE MEASURE

Ref : **878138** / EAN : 3479138781384

- 30 m x 15 mm**
- >> Fiberglass ribbon, with metal hook
- >> Two-side printing
- >> Class II
- >> Anti-shock corners



MAGNETIC TAPE MEASURE

Ref : **876358** / EAN : 3479138763588

- 5 m x 25 mm**
- >> Resistant bi-material case
- >> Manganese 65Mn alloy steel ribbon protected by a nylon film
- >> Magnetic hook



MAGNETIC TAPE MEASURE

Ref : **876458** / EAN : 3479138764585

- 5 m x 25 mm**
- >> Automatic lock when opened. Button to release the tape
- >> Two-side printing, vertical and horizontal reading





DOUBLE POCKET WITH BELT

Ref : 805000 / EAN : 3479138050008



- >> In soft, riveted leather for a long lifespan
- >> 11 pockets
- >> Central pocket in rigid leather to put a measurement
- >> Rigid leather hammer loop

NEON BRAID



- >> In neon pink polypropylene

200 M



Wire Ø	1,5 mm	2,5 mm
Ref	823110	823120
EAN 347913+	8231100	8231209

CARTRIDGE GUN

Ref : 153720 / EAN : 3479131537209



- >> For cartridges up to 310 ml
- >> Steel case
- >> 2-axis aluminium handle

CHALK LINE REEL

Ref : 815010 / EAN : 3479138150104



- >> Polyester / cotton chalk line, 30 m
- >> Ø 1,5 mm

BLUE CHALK LINE POWDER

BLUE

- >> Strong adhesion
- >> Excellent grip on all surfaces



Capacity	200 g	400 g
Ref	814180	814360
EAN 347913+	8141805	8143601

CURB LAYING

Ref : 303110 / EAN : 3479133031101



- >> Facilitates handling and installation of curbs
- >> Adjustable from 0,5 to 1 m, in steps of 10 cm
- >> Automatic lock and anti-tip
- >> Suspension hook

HELICAL MIXING PADDLE

Ref : 881030 / EAN : 3479138810305



- >> Helical Ø 90 mm
- >> For thick material with high viscosity
- >> For mixtures of 4 to 10 kg

ORANGE CHALK LINE POWDER

Ref : 814220 / EAN : 3479138142208



ORANGE FLUORESCENCE COLOR

- >> The neon color ensures optimal visibility
- >> Capacity : 200 g





CONCRETE SLAB MAKER

2 IN 1 FLOOR SMOOTHER

>> 2 in 1: Allows slabs to be smoothed with a pole or by hand without the need to change tools

Use with a pole



>> Stainless steel blade 70 x 12 cm

>> Tilting handle with soft grip

Manual use



2 models :

Pointed shape

>> Heels with anti-fingerprint rounded corners



1 mm

Double-rounded shape

>> Double rounded: does not leave traces


>> For a perfect finish



TELESCOPIC POLE

>> Light and resistant aluminium tube

>> Ergonomic pole with two soft covers



Extensible from 1,60 m to 2,80 m

	Pointed smoother 70 x 12 cm	Double-rounded smoother 70 x 12 cm	Telescopic pole
Ref	303201	303211	304000
EAN 347913+	3032016	3032115	3040004



WATCH
THE VIDEO :





CONCRETE SLAB MAKER

FLOOR SPREADER



- >> One-hand screed smoothing trowel
- >> Pointed to end smooth the corners
- >> Hardened stainless steel blade
- >> Rounded heel angles
- >> Aluminium profile frame



Dim - cm	45 x 12	55 x 12
Ref	233221	233231
EAN	347913+	2332216
		2332315



FLOOR SMOOTHER DOUBLE-ROUNDED BLADE

Ref : 234801 / EAN : 3479132348019



12 CM

40 CM



For finishing work or small surfaces

- >> Double rounded shape for smoothing without leaving traces
- >> Stainless steel blade
- >> Aluminium frame
- >> Bi-material handle

BUBBLE RELEASE BAR



- >> To avoid bubbles on screed
- >> Aluminum for a lighter tool
- >> 4 adjustable heights : 75, 80, 85 et 90 cm



Ø 5 cm

Dim	1,50 m	2 m
Ref	303250	303260
EAN	3032504	3032603
	347913+	



10 TRIPODS LEVEL MARKERS

Ref : 303340 / EAN : 3479133033402




- >> For adjusting the thickness of liquid screeds
- >> Quick, precise adjustment from 0 to 16.5 cm
- >> Staggered at approximately 1.50 m intervals





CONCRETE SLAB MAKER

CONCRETE SMOOTHING SPREADER




- >> Allows you to spread concrete while adjusting flatness, pre-smoothing and bringing up laitance.
- >> The aluminium plate can be weighted to adapt smoothing to the consistency of the concrete
- >> Raised edges to avoid catching on concrete
- >> Height-adjustable handles for improved ergonomics



Dim	1,40 m	1,90 m
Ref	303310	303320
EAN 347913+	3033105	3033204

CONCRETE SMOOTHING MACHINE

Ref : 226910 / EAN : 3479132269109



- >> Use in addition to or instead of smoothing spreader for smaller surfaces
- >> Aluminium profile, ogival shape



FORMWORK SCRAPER



- >> Screwed blade
- >> Handle sold separately :
Ref. 6359000001

Dim - cm	30 cm	10 cm
Ref	301310	301410
EAN 347913+	3013107	3014104

CEMENT EDGER




- >> For rounding the corners of concrete structures
- >> Height: 9 cm

Material	Plastic	Cast iron
Ref	302200	302210
EAN 347913+	3022000	3022109





ARTICULATED ALUMINIUM SLAB SMOOTHER

Smoother with integrated joint that allows the blade to be tilted simply by turning the handle.



- >> For smoothing concrete slabs. Closes the surface of concrete as it begins to set, ensuring a flat surface without leaving a trace.
- >> Use with a pole so you don't have to walk on concrete
- >> Aluminium plate that does not sink into the concrete
- >> Double-rounded anti-tracking blade, with slightly raised tips to prevent streaking when the blade is tilted.
- >> Edges folded lengthwise to prevent material from riding up on the blade
- >> A robust, simple and efficient zinc-plated steel joint, protected from corrosion





2 BLADE SIZES

- >> 2 lengths : 100 cm and 150 cm
- >> Width : 14 cm



INTERLOCKING POLE

- >> For smoothing concrete over long lengths without damaging it, by combining several poles with each other.



	Articulated smoother 100 cm	Articulated smoother 150 cm	Interlocking pole of 2 m
Ref	304600	304800	304010
EAN 347913+	3046006	3048000	3040103

SET OF ARTICULATED SMOOTHER + 3 POLES IN TRANSPORT BAG

- >> Smoother can be transported with up to 4 interlocking poles
- >> The blade is perfectly protected
- >> Fits both 100 cm and 150 cm long blades
- >> Transport and storage are simplified



	Smoother 100 cm + 3 poles of 2m in a transport bag	Smoother 150 cm + 3 poles of 2m in a transport bag
Ref	304610	304810
EAN 347913+	3046105	3048109



WOODEN FLOAT WITH FOAM SOLE

- >> For a traditional roughcast finish
- >> With a yellow sponge made of polyurethane
- >> Oval ergonomic handle
- >> Traditional double dovetail handle mounting



REPLACEMENT BOARDS

Dim - cm	18 x 33	14 x 25
Ref	314157	314167
EAN 347913+	3141572	3141671

Dim - cm	18 x 33	14 x 25
Ref	314357	314367
EAN 347913+	3143576	3143675

MONOBLOC EXPANDED POLYSTYRENE FLOAT

- >> For smoothing concrete
- >> For a flat, even surface

Dim - cm	15 x 20	27 x 15
Ref	316200	316210
EAN 347913+	3162003	3162102



MONOBLOC FOAM SOLE FLOAT FOR FACADE BUILDER

Ref : **321320** / EAN : 3479133213200



14 x 29 cm

- >> For a fine finish on plasters: foam base with small cells



COATING KNIFE



0,6 mm




- >> Hardened stainless steel blade
- >> Aluminium support
- >> Wooden handle



Dim - cm	50 cm	60 cm
Ref	224500	224600
EAN 347913+	2245004	2246001

SCAPING FLOAT



- >> For making coatings with a scraped finish
- >> Interchangeable pressed metal connector
- >> Wooden handle

	240 teeth 15 mm - 14 x 24 cm	480 teeth 8 mm - 15 x 25 cm
Ref	321200	321210
EAN 347913+	3212005	3212104

Replacement board	240 teeth 15 mm - 14 x 24 cm	480 teeth 8 mm - 15 x 25 cm
Ref	321201	321211
EAN 347913+	3212012	3212111





FOAM FLOAT ECOKIT

Ref : 315168 / EAN : 3479133151687



>> KIT
1 foam float
+ 6 spare trays

Dim : 14 x 25 cm



SCRAPER FLOAT ECOKIT

Ref : 321218 / EAN : 3479133212180



>> KIT
1 scraper float
+ 9 spare trays

Dim : 15 x 25 cm
480 teeth de 8 mm



Spare tray =

- >> Less waste
- >> Space saving during transport
- >> More economical



**MONDELIN IS COMMITTED
TO REDUCE ITS IMPACT
ON THE ENVIRONMENT**

>> Reusable handle = Less waste generated

>> Eco-designed packaging

- 100% recyclable cardboard packaging, with no plastic parts;
- A kit that is easy to carry, thanks to the protruding handle;
- Packaging perfectly adapted to the product: no loss of material;
- Packaging manufactured directly in our factory: no transport.

>> Products made in France, manufactured in Ambierle

Our floats are entirely manufactured in our factory, as well as the cardboard packaging.

>> PEFC certified wood: for the promotion of sustainably managed forests

>> Find in video the actions of Mondelin to limit its impact on the environment:





CARELO SET

Ref : 157100 / EAN : 3479131571005

NEW



**INNOVATION
MONDELIN**



THE CARELO SET ALLOWS YOU TO TRANSPORT AND APPLY GLUE WHILE STANDING UPRIGHT.

This system eliminates the need to work on your knees, thereby reducing pain and musculoskeletal disorders (MSDs).

CARELO

TRANSPORT TROLLEY

- Foldable and robust
- The handle folds down to save space during transport.
- A tool holder system allows all tools to be transported on the trolley when applying the adhesive.



Telescopic poles from 85 to 160cm



Tray with non-slip coating

4 wheels with 360° rotation and brakes



Serrated blade ø20mm

Second blade with teeth 10x10mm included

40-LITER CONTAINER

- Large capacity, ideal for mixing
- Reinforced bottom and edges
- Graduated

POLE SHOVEL

- For applying glue to the floor while standing.

GLUE COMB ON POLE

- Allows you to spread glue while standing.
- The comb has half-round teeth and is mounted on a swivel head.



FLASH ME TO
SEE THE PRODUCT IN
ACTION




Composed of:

- 1 trolley ref 157010
- 1 container ref 345040
- 1 articulated head with half-round teeth ref 157181
- 1 toothed blade 10x10mm ref 157162
- 1 shovel ref. 157201
- 2 poles ref. 162010

Each item is sold separately.




45° NOTCHED SPREADER



- >> Blade bent at 45° allowing glue to be applied without straining the wrist. Reduces repetitive strain injuries.
- Provides easier access to confined spaces during renovation work (e.g., under a radiator).

- >> Bimaterial handle
- >> Stainless steel blade




Teeth	square 10 x 10mm	half round
Ref	236661	236681
EAN 347913+	2366617	2362815



GLUE SPREADER

28 x 12 cm



- >> Stainless steel blade toothed on 2 sides
- >> Ergonomic bimaterial handle
- >> Aluminium frame


Teeth-mm	Square 6 x 6	Square 8 x 8	Square 10 x 10	Square 12 x 12	Square 15 x 15
Ref	234641	234651	234661	234691	234701
EAN 347913+	2346411	2346510	2346619	2346916	2347012

EARTHENWARE COATING SPREADER

Ref : **161300** / EAN : 3479131613002



- >> For finishing tile joints
- >> Ergonomic polystyrene handle for better working comfort



SEAL POUCH

Ref : **302430** / EAN : 3479133024301

- >> Bag with PVC coating on both sides
- >> Special attachment for tiles



Set of 3 replacement nozzles available
Ref : PR0554

JOINING SPREADER

Ref : **152710** / EAN : 3479131527101



CLEANING SPREADER

WITH YELLOW SPONGE



Ref : **152760** / EAN : 3479131527606

- >> Foam thickness : 30 mm
- >> 29 x 14 cm

WITH POLYURETHAN SPONGE

Ref : **152840** / EAN : 3479131528405

- >> Thickness of the foam : 40 mm
- >> Plaid patterned foam for more efficient cleaning
- >> 34 x 17 cm





PROJOINT®

Ref : 156200 / EAN : 3479131562003

kit to simplify grouting and
cleaning of tiled surfaces



KIT CONTENTS :

- >> 30L plastic container on wheels
- >> Capacity of 13 L
- >> Removable plastic grid
- >> Set of 3 cleaning rollers
- >> 1 jointing spreader
- >> 1 cleaning spreader



>> 4 wheels with
brakes

>> System to prevent the
water from overflowing
during transport.



>> 3 rollers allow to wring
out spreader horizontally or
vertically during cleaning.



>> Easy cleaning: Smooth
surface + spill protection and
removable rollers



>> 2 spouts to prevent
splashing





KNEEPADS

Ref : 154140 / EAN : 3479131541404

FOR PROFESSIONAL USE

- >> Optimal padding for intensive use
- >> Shell in a fixed position
- >> Adapts to your movements on flat or uneven floors
- >> Transparent shell does not leave marks on the tiles

FASTENING WITH CLIPS

- >> Elastic adjustable clips: more durable and higher quality than Velcro. Also, there is less risk of injury.
- >> Does not adjust unintentionally.
- >> Easy Removal: Can be easily pulled over the foot.



CE



Complies with standard EN 14404 / PPE type 1



CROSS SHAPE

- >> Cross tie for added comfort

TILE MALLET

NEW

Ø 65 MM



BLACK

Ref : 153600 / EAN : 3479131536004

- Facilitates tile positioning and adhesion.
- Black or white rubber to avoid leaving marks on tiles.
- Rubber head with one flat side and one curved side.
- PEFC-certified ash handle.



NEW



WHITE

Ref : 153610 / EAN : 3479131536103 Handle

White rubber leaves no marks on tiles.

TUBULAR GUN

NEW

PRO TUBULAR GUN

Ref : 153750 / EAN : 3479131537506 on card

Ideal for jobs such as re-grouting a wall, gluing parquet flooring, redoing waterproof joints, and tiling. Can be used as a cartridge gun (glue, sealant, silicone) or filled directly

- 380 mm model with 4 accessories:

- 1 filling scoop
- 2 jointing tips
- 1 ceramic tip
- 1 pusher

38 CM



Ideal for jobs such as re-grouting a wall, gluing parquet flooring, redoing waterproof joints, and tiling.

TUBULAR GUN

Ref : 153760 / EAN : 3479131537605 son card

23 CM

With 2 ceramic tips + 1 pusher



Replacement ceramic tips x 5

Ref : 153770 / EAN : 3479131537704 on card



TILE LEVELS KIT

Ref : **151610** / EAN : 3479131516105



This kit contains :

- 100 x 2 mm self-leveling bases for levels
- 100 reusable wedges
- 1 pair of pliers
- 1 transport bucket

- >> This levelling system ensures that the tiles are perfectly level when laid.
- >> Prevents any unevenness from forming during laying or setting
- >> Ideal for laying large tiles
- >> Can be used for horizontal and vertical installation and for tiles from 3 to 16 mm thick

SLAB GRABBER



- >> Allows the slabs to be deposited directly and precisely in their location, in complete safety
- >> Adjustment every 16 mm to adapt to the size of the slab
- >> 2 sizes :
 - Plate length between 500 and 700 mm:
 - > Payload of 40 kg – 1,5 kg
 - Plate length between 300 and 700 mm:
 - > Payload from 50 kg – 2,9 kg

Dim - cm	30 à 50	30 à 70
Ref	153000	153020
EAN	1530002	1530200
347913+		



DOUBLE SUCTION CUP

Ref : **153690** / EAN : 3479131536905

- >> Allows you to lay and remove tiles, panels and windows from non-porous surfaces
- >> Load capacity: 80 kg
- >> Double rubber transport suction cup and aluminium base





GLUE MIXER CLEANER

Ref : 157300 / EAN : 3479131573009

NEW

MIXEo


**For quick and effortless cleaning
of your mixers.**

- The metal frame protects the bucket and prevents splash during use.
- Equipped with a metal carrying handle.



x3

The three brushes facilitate the self-centering of the mixer, thus simplifying its handling and positioning.



FLASH ME TO
SEE THE PRODUCT IN
ACTION



30 L

Transparent 30L
container, so
you can see the
water level






DRYWALLER



PLASTERBOARD TROLLEY WITH 2 WHEELS

Ref : 500550 / EAN : 3479135005506

- >> 2 rubber wheels
- >> 2 swivel telescopic handles



PLASTERBOARD TROLLEY WITH 4 WHEELS

Ref : 500560 / EAN : 3479135005605



- >> Foldable
- >> 4 rubber wheels including 2 equipped with a locking system for the pivot and rotation
- >> Great stability



3RD HAND QUICK SUPPORT ROD

Ref : 504810 / EAN : 3479135048107

- >> For securing the plasterboard during transport and attachment in tight places
- >> Fast and precise adjustment
- >> With a safety lock
- >> Approved payload of 80 kg at 90° and of 30 kg at 55°



PLASTERBOARD POSITIONING AID

Ref : 502050 / EAN : 3479135020509



- >> Helps to fix the plasterboard on the metal framework
- >> The work can be done by only one person





DRYWALL KNIVES



**MANUFACTURING
MONDELIN**



NEW

Starting in March 2026, Mondelin will be bringing the manufacture of its drywall knives back in-house at its factory in Ambierle (42-Loire).

To mark the occasion, the model has been improved to meet the needs of craftsmen: a flexible, non-detachable blade, inspired by your work sites.




Stainless steel blade
thinned in the middle for
flexing in the right place

Flat edge for easy cleaning
of the blade by scraping
with another knife

Ergonomic
handle

Flat base for
tapping

Easy-to-remove label
that leaves no residue



Permanent laser marking
to identify size

Dim	2 cm	4 cm	6 cm	8 cm	10 cm	12 cm	15 cm	25 cm
Ref	221700	221710	221720	221730	221740	221750	221760	221870
EAN 347913+	2217001	2217100	2217209	2217308	2217407	2217506	2217605	2218701



ENCAPSULATED BLADE

Single-piece injection molding
without assembly.
The blade is placed directly
into the mold and the handle
material encapsulates the
blade.



FLEXIBLE BLADE

0.7mm thick stainless steel blade,
crafted with a thinner section in
the middle to make it more flexible
without risk of breakage.



UNBREAKABLE BLADE

The width of the overmolded blade
section is wide. It provides better
resistance to bending and prevents
breakage.



DRYWALLER

BUCKET SCOOP KNIFE

Ref : **224100** / EAN : 3479132241006

- >> Saves time
- >> Reduces waste
- >> Rigid folding blade
- >> Stainless steel blade
- >> Ergonomic dual-material handle

NEW



0,5 mm



SET OF AMERICAN KNIVES

- >> Case with high-quality washable lining
- >> 8 slots for 7 American knives (31, 38, 51, 76, 102, 127, and 152 mm) + 1 multi-purpose knife



>> Blade guard flap



>> Easy clip closure



>> With handle



>> Dimensions for easy knife storage

SET OF BIMATERIAL AMERICAN KNIVES

Ref : **221680** / EAN : 3479132216806



X7

STAINLESS
STEEL

+



X1

STAINLESS
STEEL

CASE OF NYLON AMERICAN KNIVES

Ref : **221830** / EAN : 3479132218305



X7

STAINLESS
STEEL

+



X1

STEEL



STUCATOR'S TROWEL

Ref : **337136** / EAN : 3479133371368

NEW



Beveled stainless steel blade



TROWEL REIMS

Ref : **334256** / EAN : 3479133342566

- >> Stainless steel blade
- >> Bimaterial handle

NEW



BERTHELET TROWEL

Ref : **336180** / EAN : 3479133361802

NEW

- For smoothing plaster, after filling with a conventional trowel and partial drying of the plaster.
- 1 serrated side and 1 smooth beveled side.
- Steel blade.



PLASTERER'S TROWELS

STAINLESS STEEL TROWELS

- >> Stainless steel blade : without leaving rust stains
- >> Bimaterial handle



Beveled blade

	Round of 20cm	Round of 22cm	Squared of 20cm	Squared of 22cm	Cat tongue of 14cm	Cat tongue of 16cm	Triangular of 16cm
Ref	330206	330226	331206	331226	332146	332166	333166
EAN 347913+	3302065	3302263	3312064	3312262	3321462	3321660	3331669



SOFT TROWEL FOR INSIDE CORNER

Ref : **502180** / EAN : 3479135021803



- >> Flexible stainless steel blade of 0.4mm
- >> Ideal for plasterers: the flexibility of the blade prevents tearing of the joint tape in the corners





DRYWALLER

COATING KNIVES

- >> High-quality tempered stainless steel blade with perfect cutting edge
- >> Bimaterial handle
- >> Designed for professional handling
- >> Handle for right- and left-handed use



Dim - cm	10	12	16	20	24	30
Ref	223300	223320	223360	223400	223440	223490
EAN 347913+	2233001	2233209	2233605	2234008	2234404	2234909




HELISS MULTIFUNCTION KNIFE

Ref : 221000 / EAN : 3479132210002



Hélist





4 BLADES AVAILABLE

- 3 cm bevelled scraper blade, 1 mm thick
- 3 cm blade for smoothing plaster, 0.7 mm thick
- 2 cm blade for smoothing plaster, 0.7 mm thick
- 1 pointed blade for angles under 90°, 0.7 mm thick

PH2

- >> 1 tool for all your finishing needs
- >> Smooths narrow spaces such as door and window frames
- >> Stainless steel blades
- >> PEFC beech handle with varnish for easy cleaning





SPREADER SPECIAL JOINT TAPES


Ref : **234561** / EAN : 3479132345612

- >> Spreader with a concave stainless steel blade to make it easier to load plaster when making joint strips.
- >> Controls the thickness of plaster applied
- >> Rounded corners in order to work without leaving traces
- >> Bimaterial handle
- >> Aluminum frame
- >> Dim : 28 x 12 cm

 0,7 mm




CONCAVE BLADE



SPREADER WITH BIMATERIAL HANDLE

- >> Ergonomic bimaterial handle
- >> Lightweight cast aluminum frame
- >> Hardened stainless steel blade
- >> 0.6 mm blade thickness, ideal compromise between rigidity and flexibility
- >> Bevelled blade : allows excellent tightening and smoothing of coatings
- >> Curved blade : blade helps to lay and finish the joint.



 0,6 mm



Dim - cm	28 x 12	28 x 12 beveled	35 x 10 beveled	28 x 12 curved
Ref	234521	234531	234541	234551
EAN 347913+	2345216	2345315	2345414	2345513

ALUMINUM HANDLE SANDER

Ref : **505130** / EAN : 3479135051305

NEW

'Pole with 2 soft sleeves for a better grip.



- Aluminum alloy frame with abrasive locking system and rubber foam sole.
- 1.50m aluminum handle for sanding high surfaces.
- Supplied without abrasive.





DRYWALLER

BIMATERIEL ERGOLAME®

>> Innovative, ergonomic bimaterial handle with two soft strips.

>> High-quality stainless steel blade, folded to combine straightness and flexibility.


>> The exposed blade leaves no marks and makes cleaning easier.

>> Blade easily interchangeable thanks to a key housed in the handle.

>> 2 blade flexibilities. :

- For smoothing plaster, tightening, and creating joint strips


- For raking, finishing or decorative coatings



An ergonomic bi-material handle




WATCH THE VIDEO :




15 CM




25 CM



35 CM



50 CM



60 CM



80 CM

RIGID BLADE thickness 0.6mm

Dim - cm	15	25	35	50	60	80
Ref	227500	227505	227510	227520	227530	227540
EAN 347913+	2275001	2275056	2275100	2275209	2275308	2275407

FLEXIBLE BLADE thickness 0,3mm


Dim - cm	15	25	35	50	60	80
Ref	227600	227605	227610	227620	227630	227640
EAN 347913+	2276008	2276053	2276107	2276206	2276305	2276404

ERGOLAME® BIMATERIAL POLE

Ref : 227450 / EAN : 3479132274509

>> Aluminum pole for added lightness and with 2 soft sleeves for a comfortable grip.

>> Swivel head with quick and easy adjustment.



extensible from 1,20 to 2,10 m

PLASTER ROLLERS

>> For fast, easy plaster application

>> Enables fine, even plaster thickness to be applied

>> Fits on pole



8CM



18CM



25CM

Complete roller	8cm	18cm	25cm
Ref	867010	867020	867030
EAN 347913+	8670107	8670206	8670305

Replacement sleeve	18cm	25cm
Ref	867040	867050
EAN 347913+	8670404	8670503





ERGOLAME® TEXTILE CASE

NEW

To protect and transport your Ergolame®



Ref. of the empty textile case : 227300

- >> Integrated blade guards to extend Ergolame® blade life
- >> Each element is perfectly held in place by a hook-and-loop fastening system
- >> Easy transport: Allows you to carry all your Ergolame® in one go
- >> 2 handles + 1 reinforced strap
- >> Lightweight, washable fabric

4 TEXTILES CASES, FULLY EQUIPPED

ERGOLAME® TEXTILE CASE JOINT TAPE

Ref : **227310** / EAN : 3479132273106

- >> 2 Ergolame® rigid blade 25cm + 35cm
- >> 1 Ergolame® 50cm flexible blade
- >> 1 coating roller of 8cm
- >> 1 pole 75-135cm
- >> 2 bi-material coating knives 127mm + 152mm
- >> Textile case



ERGOLAME® TEXTILE CASE RAKING

Ref : **227320** / EAN : 3479132273205

- >> 5 Ergolame® flexible blade 15cm + 25cm + 35cm + 50cm + 80cm
- >> 1 bimaterial coating knife 152mm
- >> 1 coating roller of 18cm
- >> 1 pole 75-135cm
- >> 1 Heliss multifunction knife
- >> Textile case



ERGOLAME® TEXTILE CASE ESSENTIAL RAKING

Ref : **227330** / EAN : 3479132273304

- >> 4 Ergolame® flexible blade 25cm + 35cm + 50cm + 60cm
- >> 1 bimaterial coating knife 152mm
- >> 1 coating roller of 18cm
- >> 1 Heliss multifunction knife
- >> Textile case



ERGOLAME® TEXTILE CASE DRYWALLER

Ref : **227340** / EAN : 3479132273403

- >> 2 Ergolame® rigid blade 15cm + 25cm
- >> 2 Ergolame® flexible blade 35cm + 60cm
- >> 1 bimaterial coating knife 152mm
- >> 1 pole 75-135cm
- >> 1 Heliss multifunction knife
- >> Textile case





DRYWALLER

PATCH FOR REPAIRING PLASTERBOARD

>> Self-adhesive patch for effective, long-term repair of holes and cracks in plasterboard.

Ref : **505030** / EAN : 3479135050308


USE



NEW



WATCH
THE VIDEO :



- >> Fast
- >> Easy to use
- >> Sustainable results



1 - Clean the area to be repaired and sand lightly



2 - Remove the adhesive part of the patch



3 - Glue the patch so that the hole is completely sealed. Press firmly.



4 - Cover the patch with plaster. Leave to dry, then sand. Repeat if necessary.

PLASTERER'S HATCHET

NEW



Striking side..

Integrated nail puller on the cutting edge.

Wooden handle

Ref : **203100** / EAN : 3479132031003
PEFC-certified wooden handle.

- For demolition work on walls covered with plaster or plasterboard.
- Allows plaster layers to be removed during renovation work.
- Allows plaster to be chiseled away before covering.

Refined cutting edge for easy removal of plaster layer.



Striking side..

Integrated nail puller on the cutting edge.

Bimaterial handle

Ref : **203110** / EAN : 3479132031102
Bimaterial handle manufactured in our Ambierle factory.

ONE-PIECE SPONGY FLOAT

Ref : **317040** / EAN : 3479133170404


- >> Recommended for lightweight plasters
- >> 18 mm orange sponge
- >> 14 x 29 cm



TWO-HANDED SPREADER

>> Ergonomic plastic handle : enables the use with ones or two hands

Dim - cm	50 x 12	50 x 12 beveled
Ref	232021	232031
EAN 347913+	2320213	2320312



50 cm



AVIATION SNIP

Ref : **503328** / EAN : 3479135033288

- >> For cutting metal profiles, rails, furrings, uprights, reinforced strips
- >> Excellent cutting quality



PROFILE STAPLING PLIERS SINGLE-HANDED

Ref : **503348** / EAN : 3479135033486

- >> Allows profiles to be crimped quickly and securely
- >> 1-hand operation thanks to its lever-action handle system



PROFILE STAPLING PLIERS

Ref : **503208** / EAN : 3479135032083

- >> Allows profiles to be crimped quickly and securely
- >> Use with 2 hands



NIBBLER SHEARS

Ref : **503108** / EAN : 3479135031086


- >> For cutting metal up to 1.2 mm thick cleanly, without jaggng or distortion
- >> With integrated chip cutter and chip protection



PLIERS FOR SETTING EXPANDING WALL PLUGS

Ref : **503028** / EAN : 3479135030287
on card

NEW



Essential pliers for fixing wall plugs in hollow materials

- >> Allows the plug to expand for optimal hold.
- >> Ultra-fast.
- >> Fits all brands of metal expansion anchors.
- >> Sturdy steel head for long life.
- >> Premium quality.

KNIFE FOR INSULATION MATERIALS

- >> For cutting glass and rock wool, hemp, linen, polystyrene and wood fibers.
- >> A blade with double teeth: saw-shaped for hard materials and wave-shaped for soft materials
- >> Bimaterial, symmetrical handle
- >> Textile sheath for safe transport
- >> Bimaterial, symmetrical handle
- >> Textile sheath for safe transport



Dim L - cm	28	36
Ref	830560	830570
EAN	8305603	8305702
347913+		





KEYHOLE SAW

Ref : **832938** / EAN : 3479138329388

- >> Saw for cutting plasterboard, wood, PVC, areted concrete.
- >> Double teeth for multidirectional cutting
- >> Triple bevel teeth for efficient cutting
- >> Tapered trident tip for easy, precise drilling
- >> Ergonomic bimaterial handle



Textile sheath included to avoid injuries with the blade

DRYWALL CUTTER

Ref : **103108** / EAN : 3479131031080

- >> Blade length : 25 mm
- >> Blade thickness : 0,7 mm
- >> With locking function



Spare blades x10
Ref : 103198
EAN : 3479131031981

DRYWALL EDGE PLANER

Ref : **502610** / EAN : 3479135026105

- >> For chamfering the edges of plasterboard to make it easier to apply joint tape
- >> For edges of 7 mm



Spare blades x5
Ref : 502638
EAN : 3479135026389

DRYWALL RASP PLANE POCKET SIZE

Ref : **502560** / EAN : 3479135025603

- >> To plan the edges of a plasterboard after cutting
- >> Compact, ultra-lightweight pocket format
- >> 140 mm replaceable blade



Spare blade x1
Ref : 502559
EAN : 3479135025597

DRYWALL RASP PLANE

Ref : **502530** / EAN : 3479135025306

- >> To plan the edges of a plasterboard after cutting
- >> 255 mm replaceable blade



Spare blade x1
Ref : 502529
EAN : 3479135025290





KEYHOLE SAW WITH RETRACTABLE BLADE

Ref : **832948** / EAN : 3479138329487
on card

NEW

Trident for easier cutting inside the plates

Blade with double teeth for more efficiency

The retracted blade is protected from impact.

ADVANTAGES MONDELIN

Thanks to its retraction system, the blade folds safely into the handle after use.

Allows you to transport your keyhole saw without risk of injury or damage to the blade.

Safety assured - Compact design




In a counter display for 8 items ordered.



NEOCUT PLASTERBOARD HANDSAW

Ref : **831700** / EAN : 3479138317002

- >> 7 TPI, special teeth for plaster cutting
- >> With space to evacuate plaster



Magnetic blade protection system





DRYWALLER

NEW



**MONDELIN
INNOVATION**

Mondelin has re-internalized the manufacturing of all its winches and now offers a new patented mechanism that significantly reduces noise from 85dB to 60dB (-30%):

Greater comfort on construction sites & less fatigue at the end of the day.



The LEVPANO turns off the sound...

LEVPANO® | SILENT

Ref : 513000 / EAN : 3479135130000



QUICK SETUP

Ultra-fast Clip & Go system: quick locking and unlocking of arms and legs in a single step.

SILENT WINCH

Patented INNOVATION

Noise reduction on construction sites

SAFETY GUARANTEED

Safety system consisting of 2 cables:

1 working cable & 1 fall arrest safety cable

4 WHEELS EQUIPED WITH BRAKES

2 all-terrain transport wheels with a diameter of 10cm for better rolling on uneven terrain.

SECURED AND PROTECTED PLASTERBOARD

8 non-slip pads provide excellent support for the board

*Optional tool holder
Ref: 513100*

2 NON-SLIP PLATFORMS

on which you can stand to secure the Plasterboard.
Withstands 150 kg and validated by Socotec

Horizontal up to 4.50m
Maximum height with extension, 3.50m without extension

Installation under slopes up to 3.50m
Max. mast height

Vertical installation up to 5.90m
max. height with a 3m plate. Mast height at 4.50m with extension, 3.50m without extension



Watch our videos on how to use, assemble and change cables



OUR GUARANTEES

- Compliant with the standard and European Directive 2006/42/EC
- Compliance review carried out by SOCOTEC
- Each Levpano is assembled and tested individually
- Delivered pre-assembled



2 ANTI-SLIP PLATFORMS

on which you can climb to fix a board.
 >> Resistant to 150 kg - validated by Socotec



WEDGED AND PROTECTED PLATE

>> 8 non-slip pads provide excellent plate support



GUARANTEED SAFETY

Safety system with two cables :
 >> 1 working cable
 >> 1 anti-fall safety cable



QUICK INSTALLATION

>> Ultra-fast Clip & Go system: quick locking and unlocking of arms and feet in a single movement.



USE THE ROTATION PLATE TO SWITCH FROM UNDER SLOPES OR VERTICAL MODE

>> The head rotates with a simple pin, so there's no need to dismantle it



RETRACTABLE PADS

>> They hold the plate, and when they reach the ceiling, they retract to wedge the plate against the previous one without any gap.



REMOTE HANDLE

>> The guide handle is separate, giving the user greater visibility and control.
 >> This also avoids having your head under the Levpano® when descending.

LEVPAÑO® TOOL HOLDER

Ref : 513100 / EAN : 3479135131007



- >> Keeps screwdriver and screws close at hand when working on platforms
- >> Fits all Levpano® models, even previous generations
- >> Metal frame for strength and plastic interior for lightness
- >> Rigid and stable: does not become unbalanced even with all the tools on it
- >> Does not interfere with standing on platforms
- >> Rounded edges to prevent injury
- >> Removable





ÉQUIPMENTS

AXIS HAND TRUCK

Ref : 601020 / EAN : 3479136010202



ULTRA-TICK AXLE

4mm thick

UNTWISTABLE

- >> Puncture proof wheels
Ø 250 mm
- >> Loading bucket fixed or folded
- >> Closed handles for different positions
- >> Horizontal loading possible

USEFUL
LOAD



Complies with the
regulation CE, Directive
2006/42/CE

Spare wheel x1
Ref : 601028
EAN : 3479136010288



WATCH
THE VIDEO :



TROLLEY

Swift

- >> 4 wheels with brakes
- >> High mobility: 4 wheels 360° rotatable
- >> Non-slip plywood with a thickness of 18 mm
- >> Rounded corners and edges
- >> 2 holes for transport

TROLLEY WITH HANDLE

Ref : 114370 / EAN : 3479131143707

- >> Foldable, retractable handle,
does not protrude when folded up
- >> 7,8 kg
- >> Board: 80 x 50 cm



HANDLING TROLLEY

Ref : 114320 / EAN : 3479131143202


- >> Non-slip board 40 x 40 cm
- >> Light : 3,2 kg

40 X 40 CM

HANDLING TROLLEY

Ref : 114300 / EAN : 3479131143004

- >> Light 3,3 kg
- >> Board: 57,5 x 29 cm



WATCH
THE VIDEO:





ALUMINIUM STEPLADDERS

For professionals



NEW

Integrated aluminium tool holder to keep your tools always at hand. Unbreakable.




NEW


XXL access ramp to make the climb safer and provide comfort



>> Wide and deep 37 x 9 cm cast aluminum grating steps



>> Storage surface 320 x 360 mm to keep your tools or paint bucket



>> Robust assembly of the steps manufactured by robotic welding



>> Easy transport thanks to the ribbed handle



>> Non-slip glides and a flare for greater stability



>> Elevated rear rail in order to place the ladder over obstacles like toilets

Height of the platform - cm	70	90	110	140
Number of steps including the platform	3	4	5	6
Max. work height - cm	270	290	310	340
Height folded - cm	70 x 151 x 19	70 x 174 x 19	70 x 203 x 19	70 x 229 x 19
Height unfolded - cm	137	159	182	205
⚖ - kg	10	11,2	12,5	13,7
Wheelbase - cm	86 x 70	105 x 70	125 x 70	144 x 70
Ref	201950	201960	201970	201980
EAN 347913+	2019506	2019605	2019704	2019803



70 cm
2 steps
+ platform



90 cm
3 steps
+ platform



110 cm
4 steps
+ platform



140 cm
5 steps
+ platform



ÉQUIPMENTS

STEP STOOLS

Ref : 201830 / EAN : 3479132018301

MULTI



>> 1 tool = 4 uses



STEPSTOOL
with tool holder



TRESTLES



WORKBENCH



CUTTING
SUPPORT



WATCH
THE VIDEO :



PATENTED
CLIP & GO
SYSTEM
Quick adjustment of the swivel arm



- >> Height of the platform 47 cm
- >> Folded : 1040 x 705 x 170 cm
- >> Weight : 10 kg

ALUMINIUM STEP-STOOL



Extra wide
aluminum grating
steps. Easy to
clean.



ROBUST AND LIGHT

- >> 2 mm thick aluminum profiles
- >> Easy folding and transport
- >> Lock in opened position for a safe use
- >> Easy transport thanks to the handle

Dim	70cm	90cm
Ref	201700	201710
EAN	3479107	2017106
347913+		





NINJA PLATFORM

Ref : 500610 / EAN : 3479135006107



>> Platform 93 x 40 cm



>> Lock of the guardrail and feet for maximum protection



- >> Quick assembly in only 1 minute
- >> For intensive use
- >> Total width of 69 cm: transport through a door without folding the platform
- >> Wide grating steps
- >> Weight: 29,5 kg



WATCH THE VIDEO :

7 WORKING HEIGHTS




260 / 265 / 270 / 275 /
280 / 285 / 290 cm

EASY TRANSPORT



Only 3 pieces

ALUMINUM PLATFORM



ROBUST AND LIGHT

- >> Light platform, easy folding and practical transport
- >> Aluminum grating steps: wide, deep, slip-resistant
- >> Platform of 125 x 42 cm - Height 49 cm
- >> Work height: 249 cm
- >> Transport handle
- >> Weight: 9 kg (without tool holder)



Dim	125x42 cm	125x42 cm + tool holder
Ref	500510	500513
EAN 347913+	5005100	5005131




>> Platform with tool holder



GARDIA SECURED STEPLADDER, PRACTICAL AND ROBUST

**NEW**

- >> New 140 cm height
- >> All sizes are available with a self-closing gate:
 - The platform is the same
 - Only the guardrails change. Spring-loaded, they close automatically.



AUTOMATIC CLOSURE



WATCH THE VIDEO :



OPTIMUM MOBILITY



- >> **Spindle wheels**
Moving without lifting. Pushing with your feet possible.



- >> **Inner wheels**
Positioning as close as possible to the wall.

GUARANTEED SAFETY



- >> **Hinged guardrail**
Much more convenient than a strap or chain



- >> **Grating steps**
Deep, slip-resistant and easy to clean. Robust shape.


50 cm
1 step
+ platform

70 cm
2 steps
+ platform

90 cm
3 steps
+ platform

110 cm
4 steps + platform
With stabilisers

140 cm
5 steps + platform
With stabilisers

	50	70	90	110	140
Number of steps including the platform	2	3	4	5	6
Max. work height cm	250	270	290	310	340
Wheelbase - cm	66 x 88	69 x 107	81 x 126	132 x 145 stabilizers deployed	165x195 stabilizers deployed
kg	15	16,8	17,5	21	23
Dimensions folded - cm	66 x 167 x 26	69 x 193 x 26	81 x 219 x 26	86 x 245 x 26	275 x 97 x 26
Réf	202100	202110	202120	202130	202140
EAN 347913+	2021004	2021103	2021202	2021301	2021400
Ref with automatic guardrails	202150	202160	202170	202180	202190
EAN automatic guardrails 347913+	2021509	2021608	2021707	2021806	2021905

OPTIONAL :



Crane ring
2 rings to screw on (screws included)
Ref : 202103



Bucket holder
To keep your paint bucket close (comes with a strap to secure the buckets)
Ref : 202102






In compliance with decree 2004-924



PLATFORM MODUL'Air

AN INNOVATIVE CONCEPT

- >> Modul'Air platforms can be combined to suit all site configurations
- >> They allow you to work safely at height on large surfaces.



- >> 190x60 cm platform in non-slip plywood



- >> Platforms are easily linked together using connecting posts.



- >> 4 360° wheels with brake + stabilizers, ultra-quick to set up with Clip&Go system.



- >> Easy to transport thanks to a transport cart that allows all components to be moved in a single operation.



- >> Max. working height: 3m.



MAIN MODULE = 1 platform + 1 access step + 1 gate + 7 guardrails + 1 transport tray
Total weight : 84kg

COMPLEMENTARY MODULE = 1 platform + 6 guardrails + 2 connecting posts + 2 connecting keys + 1 transport tray
Total weight: 71kg

Capacity	Main module	Complementary module
Ref	500800	500810
EAN 347913+	5008002	5008101

Regulation
NF 93-520



WATCH
THE VIDEO :





WORKBENCH

Ref : 500700 / EAN : 3479135007005

Thales



WATCH THE VIDEO :



ULTRA-COMPACT FOLDED



FOLDING WORKBENCH WITH NON-SLIP TRAY

- >> 60x80 cm non-slip tray with:
- >> 2 clamp locations
- >> 1 real stainless steel ruler engraved and integrated into the tray
- >> 1 space for screws and 5 slots for screwdrivers
- >> 1 cutting zone for threaded rods and small tubes
- >> 3 adjustable heights 75, 80 and 85 cm
- >> Ultra-compact: folded only 5 cm thick
- >> Robust construction: Steel tubes, robotic welding



ONE HANDED CLAMP



- >> Simple one-handed using
- >> Clamping power: 150 kg
- >> Durable nylon and fiberglass head
- >> Hardened steel rod

Maximum distance - cm	15	30	45
Ref	308110	308120	308130
EAN	3479106	3081205	3081304
347913+			



- >> Quick "reversible" clamping for part separation





TELESCOPIC LIGHT

Ref : 865070 / EAN : 3479138650703



- >> Telescopic tripod lamp with 2 swivel heads
- >> Robust aluminum design
- >> Ultra-compact when closed, with handle for easy transport
- >> When closed, lamps are perfectly protected for longer life
- >> Deploys very quickly in just 5 seconds
- >> With telescopic arm that extends up to 2 m
- >> Dimensions folded : 120 x 120 x 890 mm

- >> Heads can be rotated independently through 360°.
- >> 2 types of light: hot or cold



- >> Operates on 4000mAh Li-ion battery - 7.3V
- >> Charger: 8.4V 3A
- >> 3 wattages: 500 / 1500 / 5000 lumens with corresponding operating times of 5 h / 2.5 h / 1 h
- >> Operates at medium power when recharging from the mains
- >> IP54 protection: splash-proof and dust-proof
- >> Complete loading time: 6 h



- >> Carrying case included



INSPIRED BY YOUR CRAFT SITES



BIMATERIAL LED TAPE MEASURE

Ref : **876588** / EAN : 3479138765889
on card

NEW

**Tape measure with integrated LED light.
Provides better readability of numbers in
poorly lit or dark areas.**

- Shockproof dual-material casing
- With lock button
- 65Mn manganese alloy steel tape protected by a nylon film
- Operating time: 2.5-3 hours
- Full charging time: 1-1.5 hours
- Battery: 3.7V, 90mAh, 0.33Wh



8 m X 25 mm



With belt clip



Rechargeable with USB
Type-C port

Counter display provided for orders of 8 or more. Sold without cable.

DISCOVER US



AND FOLLOW OUR NEWS ON :



www.mondelin.en

NOVALIA SAS - 2 rue Bergognon - 42500 Le Chambon Feugerolles - France



MONDELIN



Ref : 0000062001



3 303800 017887